MATH 1271 Fall 2012, Midterm #1 Handout date: Thursday 4 October 2012

PRINT YOUR NAME:

PRINT YOUR TA'S NAME:

WHAT RECITATION SECTION ARE YOU IN?

Closed book, closed notes, no calculators/PDAs; no reference materials of any kind. Turn off all handheld devices, including cell phones.

Show work; a correct answer, by itself, may be insufficient for credit. Arithmetic need not be simplified, unless the problem requests it.

I understand the above, and I understand that cheating has severe consequences, from a failing grade to expulsion.

SIGN YOUR NAME:

I. Multiple choice

A. (5 pts) (no partial credit) Compute $\lim_{x\to 0} \left[\frac{x^3 + 2x^2 - 4x}{\sin(8x)} \right]$ Circle one of the following answers:

- (a) 2/3
- (b) -2/3
- (c) -1/2
- (d) 1/2
- (e) NONE OF THE ABOVE

B. (5 pts) (no partial credit) Compute $\lim_{t\to 3} \left[\frac{t^2+t-12}{t-3}\right]$. Circle one of the following answers:

- (a) 3
- (b) 4
- (c) 5
- (d) 6
- (e) NONE OF THE ABOVE

C. (5 pts) (no partial credit) Compute $\lim_{x\to 0} \left[\frac{3x^4 + 2x^3}{7x(\sin^2 x)} \right]$. Circle one of the following answers:

- (a) 2/7
- (b) 0
- (c) 5/7
- (d) ∞
- (e) NONE OF THE ABOVE

D. (5 pts) (no partial credit) Compute $\lim_{x\to-\infty}\left[\frac{\sqrt{16x^6-x}}{16x^3+x}\right]$. Circle one of the following answers:

- (a) 1/2
- (b) -1/2
- (c) 1/4
- (d) -1/4
- (e) NONE OF THE ABOVE

E. (5 pts) (no partial credit) Compute $\lim_{h\to 0} \left[\frac{\sqrt{9+h} - \sqrt{9+4h}}{3h} \right]$. Circle one of the following answers:

- (a) 1/6
- (b) -1/6
- (c) 1/9
- (d) This limit does not exist.
- (e) NONE OF THE ABOVE

F. (5 pts) (no partial credit) Which is the intuitive definition of $\lim_{x\to 3}(g(x))=8$? Circle one of the following answers:

- (a) If g(x) is close to 3, then x is close to 8.
- (b) If x is close to 3, but not equal to 3, then g(x) is close to 8, but not equal to 8.
- (c) If x is close to 3, but not equal to 3, then g(x) is close to 8.
- (d) If g(x) is close to 8, but not equal to 8, then x is close to 3.
- (e) NONE OF THE ABOVE

- II. True or false (no partial credit):
- a. (5 pts) Let f(x) = |x|. Then f is continuous at every real number.
- b. (5 pts) If a function f is continuous at a number a, then f is differentiable at a.
- c. (5 pts) Let $f(x) = x^3$. Then f is a one-to-one function.
- d. (5 pts) Let f(x) = |x|. Then the domains of f and of f' are equal.
- e. (5 pts) For every $x < 0, \sqrt{x^6} = -x^3$.

THE BOTTOM OF THIS PAGE IS FOR TOTALING SCORES PLEASE DO NOT WRITE BELOW THE LINE

VERSION B

- I. A,B,C
- I. D,E,F
- II. a,b,c,d,e
- III. 1
- III. 2
- III. 3
- III. 4

- III. Computations. Show work. Unless otherwise specified, answers must be exactly correct, but can be left in any form easily calculated on a standard calculator.
- 1. (10 pts) Find all horizontal asymptotes to

$$y = \frac{\sqrt{4x^4 + 2x + 5}}{5x^2 - 3}.$$

(NOTE: A horizontal asymptote is a line; your answers should be equations of lines, ${\bf NOT}$ numbers.)

- 2. (15 pts) Draw a single graph showing a function $f:[1,5]\to\mathbb{R}$ with all of the following properties:
 - (\bullet) Its domain is the interval [1,5].
 - (\bullet) It is continuous on [1,5].
 - (\bullet) It is differentiable on (1,3) and on (3,5).
 - (•) For all $x \in (1,3)$, we have: f'(x) = -1.
 - (•) For all $x \in (3,5)$, we have: f'(x) = 1.
 - (•) It is not differentiable at 3.
 - $(\bullet) \ f(3) = 0.$

3. (10 pts) Compute $\lim_{x \to \infty} \left[\frac{x^2 + \sin^2 x}{2x^2 + 1} \right]$.

4. (10 pts) Let $f(x) = (x+1)^2(x-2)^4(x-5)$. Find all of the maximum intervals of positivity and negativity for f.