MATH 1271 Spring 2012, Midterm #2 Handout date: Thursday 29 March 2012

PRINT YOUR NAME:

PRINT YOUR TA'S NAME:

WHAT RECITATION SECTION ARE YOU IN?

Closed book, closed notes, no calculators/PDAs; no reference materials of any kind. Turn off all handheld devices, including cell phones.

Show work; a correct answer, by itself, may be insufficient for credit. Arithmetic need not be simplified, unless the problem requests it.

I understand the above, and I understand that cheating has severe consequences, from a failing grade to expulsion.

SIGN YOUR NAME:

I. Multiple choice

A. (5 pts) (no partial credit) Find the logarithmic derivative of $(2 + x^4)^{\cos x}$ w.r.t. x.

(a)
$$(-\sin x)(4x^3/(2+x^4))$$

(b)
$$(\cos x)(\ln(2+x^4)) + (-\sin x)(4x^3/(2+x^4))$$

(c)
$$(\cos x)(\ln(2+x^4))$$

(d)
$$(-\sin x)(\ln(2+x^4)) + (\cos x)(4x^3/(2+x^4))$$

B. (5 pts) (no partial credit) Find the derivative of $(2 + x^4)^{\cos x}$ w.r.t. x.

(a)
$$[(2+x^4)^{\cos x}][(-\sin x)(4x^3/(2+x^4))]$$

(b)
$$[(2+x^4)^{\cos x}][(\cos x)(\ln(2+x^4)) + (-\sin x)(4x^3/(2+x^4))]$$

(c)
$$[(2+x^4)^{\cos x}][(\cos x)(\ln(2+x^4))]$$

(d)
$$[(2+x^4)^{\cos x}][(-\sin x)(\ln(2+x^4)) + (\cos x)(4x^3/(2+x^4))]$$

(e) NONE OF THE ABOVE

C. (5 pts) (no partial credit) Suppose $f''(x) = -x^2 + 4x - 3$. At most one of the following statements is true. If one is, circle it. Otherwise, circle "NONE OF THE ABOVE".

- (a) f is concave down on $(-\infty, 1]$, up on [1, 3] and down on $[3, \infty)$.
- (b) f is concave up on $(-\infty, 1]$, down on [1, 3] and up on $[3, \infty)$.
- (c) f is concave down on $(-\infty, -3]$, up on [-3, -1] and down on $[-1, \infty)$.
- (d) f is concave up on $(-\infty, -3]$, down on [-3, -1] and up on $[-1, \infty)$.
- (e) NONE OF THE ABOVE

D. (5 pts) (no partial credit) Find an equation of the tangent line to $4x^2y - 2y^3 = 2$ at the point (1,1).

(a)
$$y - 1 = 4(x - 1)$$

(b)
$$y - 1 = 3(x - 1)$$

(c)
$$y - 1 = 2(x - 1)$$

(d)
$$y - 1 = x - 1$$

(e) NONE OF THE ABOVE

E. (5 pts) (no partial credit) Compute $[d/dx][\sin(\cos(e^x+3))]$.

(a)
$$\cos(\cos(e^x+3))$$

(b)
$$[\cos(\cos(e^x + 3))][-\sin(e^x + 3)][e^x + 3]$$

(c)
$$[\cos(\cos(e^x+3))][\cos(e^x+3)][e^x+3]$$

F. (5 pts) (no partial credit) Find the logarithmic derivative of $x^2 + 7x - 8$ w.r.t. x.

(a)
$$\frac{x^2 + 7x - 8}{2x + 7}$$

(b)
$$ln(2x+7)$$

(c)
$$\frac{2x+7}{x^2+7x-8}$$

(d)
$$(\ln(x^2)) + 7(\ln x) - (\ln 8)$$

- II. True or false (no partial credit):
- a. (5 pts) If f' = g' on an interval I, then f g is constant on I.
- b. (5 pts) Every critical number occurs at local extremum.
- c. (5 pts) If f'(7) = 0 and f''(7) < 0, then f has a local maximum at 7.
- d. (5 pts) If f'' > 0 on an interval I, then f is concave up on I.
- e. (5 pts) Assume that $\lim_{x\to a} [f(x)] = 0 = \lim_{x\to a} [g(x)]$. Assume also that $\lim_{x\to a} \frac{f'(x)}{g'(x)} = 7$. Then $\lim_{x\to a} \frac{f(x)}{g(x)} = 7$.

THE BOTTOM OF THIS PAGE IS FOR TOTALING SCORES PLEASE DO NOT WRITE BELOW THE LINE

VERSION A

- I. A,B,C
- I. D,E,F
- II. a,b,c,d,e
- III. 1ab.
- III. 2.
- III. 3,4.
- III. 5.

III. Computations. Show work. Unless otherwise specified, answers must be exactly correct, but can be left in any form easily calculated on a standard calculator.

1. a. (5 pts) Compute
$$\frac{d}{dx} \left[\frac{2x^3 - 8}{3 + (\arctan(2x))} \right]$$
.

b. (5 pts) Compute
$$\frac{d}{dx} [(4 - \sin x)^x]$$
.

2. (10 pts) Using implicit differentiation, find y' = dy/dx, assuming that $(x - y^2)^5 = x$.

3. (5 pts) Let $f(x) = 2x + 6x^5$. Then f is a one-to-one function. Let $g := f^{-1}$. Then f(1) = 8, so g(8) = 1. Compute g'(8).

4. (10 pts) Find the maximal intervals of concavity for $f(x) = -3x^5 + 20x^4 + 7x + 3$. For each interval, state clearly whether f is concave up or concave down on that interval.

5. (10 pts) Compute $\lim_{x\to 1} \left[\frac{\ln x}{\cos(\pi x/2)} \right]$.