MATH 2243: LINEAR ALGEBRA AND DIFFERENTIAL EQUATIONS SAMPLE MIDTERM TEST II

INSTRUCTOR: SASHA VORONOV

You may not use a calculator, notes, books, etc. Only the exam paper and a pencil or pen may be kept on your desk during the test.

Good luck!

Answer:

Problem 1. Use Gaussian elimination to transform the augmented matrix of the following system into the echelon form. Use it to find the solutions, if there exist any.

$$x + y - 2z = 0,$$

$$3x + 5y - 2z = 8.$$

$$\begin{bmatrix} 1 & 1 & -2 & 0 \\ 0 & 1 & 2 & 4 \end{bmatrix}$$

$$x = 4t - 4$$

$$y = 4 - 2t$$

$$z = t$$

Problem 2. (1) Find the inverse of the following matrix:

$$A = \begin{bmatrix} 0 & 2 & 1 \\ 1 & 0 & 1 \\ 1 & -1 & 0 \end{bmatrix}.$$

Answer:

$$A^{-1} = \begin{bmatrix} 1 & -1 & 2\\ 1 & -1 & 1\\ -1 & 2 & -2 \end{bmatrix}.$$

(2) Use the inverse of A to solve the system (another way of solving it will not be counted)

$$\begin{array}{rcl} 2y+z &=& 1,\\ x+z &=& 0,\\ x-y &=& -1. \end{array}$$

Answer: (-1, 0, 1).

Date: March 12, 2009.

Problem 3. Use Cramer's rule to determine the unique solution to the system $A\mathbf{x} = \mathbf{b}$ for the following matrix and vector:

$$A = \begin{bmatrix} 4 & 1 & 3 \\ 2 & -1 & 5 \\ 2 & 3 & 1 \end{bmatrix}, \qquad \mathbf{b} = \begin{bmatrix} 5 \\ 7 \\ 2 \end{bmatrix}.$$

Answer: $x_1 = 1/4$, $x_2 = 1/16$, $x_3 = 21/16$.

Problem 4. Determine whether or not the set

$$S = \{(x, y) \in \mathbb{R}^2 : x^2 + y^2 \le 1\}$$

is a subspace of \mathbb{R}^2 . Justify your answer.

Answer: No.

Problem 5. An object of mass 2 kg, resting on a table next to a wall, is attached to the wall by a spring. A force of 8 N is applied to the mass, stretching the spring and moving the mass 1/2 m from its equilibrium position. The object is then released. Suppose the resistance to the motion is numerically equal to 8 times the instantaneous velocity.

 $(1)\,$ Set up an IVP governing the motion of the mass.

Answer:

$$2x'' + 8x' + 16x = 0, \qquad x(0) = 1/2, \quad x'(0) = 0.$$

(2) Determine the position of the mass at any time t. Answer:

$$x = e^{-2t}/2(\cos 2t + \sin 2t).$$

(3) At what time does the mass first pass through the equilibrium position and heading away from the wall?

Answer: $t = 7\pi/8$.